



## Shiraz bracelet

Make this elegant lacy bracelet with the new Matubo Ginko beads.



### Material (for one bracelet)

Matubo Ginko (approx. 20 pcs)  
Matubo Miniduo (approx. 3.5 gram)  
Matubo 8/0 (2 pcs)  
Matubo 11/0 (approx. 2.1 gram)  
15/0 Miyuki seed beads (approx. 1 gram)  
3mm FP beads (approx. 60 pcs)

**Beading needle and thread** (Nymo, Fireline...)

**Difficulty:** Intermediate



1) String one 15/0, three Miniduos, one 15/0 and one Ginko (from the inside). Slide all the beads to the end of the thread.

(If you want, you can use a bead stopper to secure the end of the thread.)



6) Now tie both ends of the thread together. This is what you should get.



2) Add one 15/0, three 11/0s and one 15/0 and then pass back through the free hole of the Ginko bead.




7) Pass through the nearest hole of the nearest Ginko bead ...



3) Add one 15/0, three Miniduos, one 15/0 and one Ginko (from the inside). Slide all the beads down to the previous ones.



8) Pass through the next 15/0 and 11/0 ...



4) Add one 15/0, three 11/0s and one 15/0 and then pass back through the free hole of the new Ginko bead.



9) Skip the next 11/0 and pass through the next 11/0 and 15/0. Pull snug.




5) This is what you should get.

(If you used the bead stopper, remove it now.)



10) Add one 11/0 and one 3mm FP and pass through the upper hole of the next Miniduo.



11) Add one 11/0 and pass through the upper hole of the next Miniduo.



16) The first component of the bracelet is finished.



12) Add one 11/0 and pass through the upper hole of the next Miniduo.



17) Since this is the first component, you can add an 8/0 on one side - you will later use this 8/0 to attach a clasp.

The thread should exit from the first 11/0 between the Miniduos (see step 16).



13) Add one 3mm FP and one 11/0 and pass through the next 15/0 and 11/0.

Add one 11/0, one 8/0 and one 11/0 and pass through the next 11/0 between the Miniduos. Then you can weave through the last row one more time and then tie a few half-hitch knots and cut off all the remaining thread.

18) Make another component by repeating steps 1 - 16.



14) Skip the next 11/0 and pass through the next 11/0 and 15/0.



15) Repeat steps 10 - 14 to complete the row.



19) Weave through beads to get to the second 11/0 between the Miniduos (as shown in the photo).

20) Add one 11/0 and pass through the next 11/0, upper hole of the next MD and the next 11/0 on the previous component (as shown in the photo).



21) Add one 11/0 and pass through the corresponding (11/0, MD, 11/0) on the new component.



22) Add one 15/0 and pass through the nearest new 11/0.



23) Add another 15/0 and pass through the (11/0, MD, 11/0) on the previous component.



24) Add one 15/0 and pass through the next new 11/0.



25) Add another 15/0 and pass through the (11/0, MD, 11/0) on the new component.



26) Pass through the next MD (upper hole) and the next 3mm FP bead on the new component.



27) Add one 11/0, one 3mm FP and another 11/0 and go back through the corresponding 3mm FP and MD (upper hole) on the previous component.





28) Pass through the next (11/0, MD, 11/0) ...



33) ... and connect it to the previous one (steps 19 - 31).



29) ... and also through the next MD (upper hole) and the next 3mm FP on the same component.



34) Repeat until you reach the desired length of the bracelet (one component measures approx. 1,7 cm (0.67 in), so for one bracelet you will need approximately 10 components).



30) Add one 11/0, one 3mm FP and one 11/0 and go back through the corresponding 3mm FP and MD (upper hole) on the new component.



35) When you finish the last component, add the 8/0 bead for connecting the clasp, just like you did with the first component in step 17. You can tie a few half-hitch knots now, but don't cut off the thread.



31) Now you can tie a few half-hitch knots and cut off the remaining thread. (I recommend tying the thread off somewhere between the 15/0s and 11/0s in the inner circle of the connection)



36) Weave through beads to get to the "middle" 11/0 above the first Ginko bead.



32) Make another component (steps 1 - 16) ...



37) Pass through the next (11/0, 15/0, 11/0).

38) Add one 15/0 and pass through the next 11/0




39) Add three 15/0s. Skip the 3mm FP and pass through the next 11/0 bead. Pull snug.

(This step is optional - if you don't want to add the 15/0s, you can just pass through the 3mm FP and

the next 11/0 - see the last page of the tutorial for the photo of the result).



40) Add one 15/0 and pass through the next (11/0, 15/0, 2x 11/0)



41) Repeat steps 37 - 40, until you reach the end of the row.



42) This is what you should get.



43) When you reach the end of the row, just weave through beads to get to the other side of the bracelet (you should get to the same bead as in steps 36) and then again, repeat steps 37 - 40, until you reach the end of the row.

Then tie a few half-hitch knots and cut off all the remaining thread.



44) Use jump rings to attach a clasp to the 8/0s on each end of the bracelet.



45) The bracelet is finished.

## Colorways:



**Matubo Ginko** 03000/29123

**Matubo Miniduo** 93140/15001

**Matubo 8/0** 83120/85805

**Matubo 11/0** 00030/01640

**Miyuki 15/0** 462 Metallic Gold Iris

**3mm FP beads** 23980/43400



**Matubo Ginko** 00030/27103

**Matubo Miniduo** 33050/15001

**Matubo 8/0** 33050/85001

**Matubo 11/0** 00030/01670

**Miyuki 15/0** 2039 Matte Metallic Royal Blue

**3mm FP beads** 23980/84100/90215



**Matubo Ginko** 00030/15695

**Matubo Miniduo** 61100/84110

**Matubo 8/0** 63130/15001

**Matubo 11/0** 00030/86805

**Miyuki 15/0** 4202 Duracoat Galv. Champagne

**3mm FP beads** 63130/15496



### TIP:

When making the orange bracelet, I skipped the step 39 and instead of adding the three 15/0s, I just passed through the 3mm FP and the next 11/0.